

OCT-22-1993 15:32 FROM AGRIGENETICS-MADISON

TO

SALIWRANCHIK P.02

Patent Application  
Docket No. MPS 11-83  
Serial No. 07/713,624

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Examiner : C. Chereskin  
Art Unit : 1804  
Applicants: Michael J. Adang and John D. Kemp  
Serial No.: 07/713,624  
Filed : June 10, 1991  
For : Insect Resistant Plants  
Commissioner of Patents and Trademarks  
Washington, D.C. 20231

SECOND DECLARATION OF DR. GUY A. CARDINEAU

Sir:

DR. GUY A. CARDINEAU hereby declares:

THAT, my qualifications have been made of record in my first declaration dated April 1992;

THAT, I have reviewed Adang and Kemp application Serial No. 06/535,354 filed September 26, 1983, and the Office Action dated August 26, 1993; and being thus duly qualified, do further declare as follows:

1 In September of 1983, the state of the art with regard to the  
2 cloning and expression of *Bacillus thuringiensis* (Bt)  $\delta$ -endotoxin  
3 insecticidal crystal protein genes in heterologous systems was  
4 limited (Schnepf and Whiteley, 1981, PNAS 78:2893-2897 // Held, et  
5 al., 1982, PNAS 79:6065-6069 // Klier, et al., 1982). Known crystal  
6 proteins were of the approximate size of 130-135kD and were known  
7 to undergo processing, after ingestion by a susceptible insect, to  
8 a toxic product of 65-68kD (Held, et al.).  
9

1 The specification of the Adang application describes the cloning of  
2 a 6.6kb HindIII fragment derived from a 50 megadalton plasmid of Bt  
3 kurstaki HD-73. Both orientations of this insert in the HindIII  
4 site of the cloning vector pBR322 were identified and labeled  
5 123/58-3 and 123/58-10. Extracts of *E. coli* strains carrying these  
6 clones were used in a bioassay against *Manduca sexta* larvae and  
7 were shown to be as toxic as the toxin protein purified from Bt.  
8 Sequence analysis of the insert revealed a startling discovery. An  
9 open reading frame, corresponding to the Bt ICP coding sequence,  
10 contained only 2831 nucleotides before it ran out of the insert and  
11 into the vector sequence. Despite the anticipation that a full  
12 length  $\delta$ -endotoxin gene had been cloned, which would code for the  
13 135kD protein, instead a shortened gene had been cloned, the  
14 sequence of which can be found in Figure 1 of the application.  
15 This insert had no translation termination codon but instead  
16 encountered termination codons in frame within 8-11bp on either  
17 side of the HindIII site of the vector. Such a gene would code for  
18 less than 950 amino acids which would produce a protein of about  
19 105kD. Immunological analysis of cell extracts of these clones via  
20 Western blot using antibody against the Bt toxin indicated that  
21 neither the 130kD nor a 105kD peptide were produced but, instead,  
22 an approximately 67kD peptide, presumably corresponding to the  
23 activated toxin domain because of the demonstrated insecticidal  
24 activity. This was a significant discovery in that it was the  
25 first evidence that a less than full length toxin gene  
26 (subsequently referred to by others as a "truncated" toxin gene)  
27 was insecticidally active. In fact, it was not until September of

1 1984, a year after the priority date of the Adang application, that  
2 a report of a similar discovery that truncation of Bt toxin genes  
3 was possible was made by Helen Whiteley at the Ninth International  
4 Spore Conference in Asilomar, CA.

5  
6 The focus of the Adang application is to express Bt toxin genes in  
7 plant cells so as to produce transgenic insect resistant plants.  
8 Review of the specification (and supporting notebooks) indicates a  
9 variety of different approaches were proposed and evaluated to  
10 mobilize the toxin gene into plant cells. These approaches are  
11 fully described in the specification. The examples provide  
12 alternatives to developing DNA constructions which permit the  
13 addition of different plant expressible promoter sequences and  
14 sequences which direct the addition of a poly-A sequence at the 3'  
15 end of the gene so as to allow expression of the toxin gene in  
16 plant cells. Most notably, Example 2 describes the construction of  
17 a plant expression cassette based on the use of what is now known  
18 as the mannopine synthase promoter from the T-DNA of an  
19 Agrobacterium Ti plasmid. The cloning and modification of the  
20 mannopine synthase gene to generate a promoter vehicle was  
21 performed as described. The modification of the sequence  
22 immediately preceding the ATG translational initiation codon of the  
23 insecticidal crystal protein gene was performed via oligonucleotide  
24 site directed mutagenesis to create a BamHI site to permit  
25 insertion of the toxin gene sequence in the mannopine promoter  
26 vector. In those cases where adapters or linkers were used to  
27 generate new restriction sites, methods well understood by those

1 skilled in the art at the time of the subject application, all  
2 proposed alternatives were not necessarily brought to completion  
3 but that approach which succeeded first was carried to the next  
4 step. For example, a HindIII site might be converted to a BamHI  
5 site by the use of an adaptor with a HindIII "sticky" end on one  
6 side and that for BamHI on the other. Alternatively, the HindIII  
7 end could be filled in using T4 polymerase and dNTPs and then BamHI  
8 linkers added. In those instances where similar alternatives were  
9 available, both approaches were attempted concurrently, with that  
10 achieving the successful product first taken to the next step.  
11 Several different gene constructs were, in fact, developed. These  
12 relied on the original identified clone containing the less than  
13 full length, or truncated gene, of 2831bp as the starting point to  
14 generate full length and several different truncated clones all the  
15 way down to the limit truncated product. All of these were  
16 identified as producing immunologically reactive proteins that were  
17 toxic to insects. Clones which were over shortened were non-  
18 insecticidal and were not pursued. A range of insecticidal toxin  
19 sequences, from limit truncation to full length, were successfully  
20 used, in accordance with the teachings of the specification, to  
21 generate insect resistant transgenic plants. The most important  
22 consideration was not sequence length but that there be at least  
23 sufficient sequence to code for the toxin domain so as to permit  
24 production of the toxin in the plant cells.

25

26 The mannopine promoter expression vector carrying an insecticidally  
27 active Bt toxin gene was mobilized via tri-parental mating into

1 several Agrobacterium strains. The first vectors, as described in  
2 the examples, required co-integration of the promoter/gene  
3 construct, via homologous recombination, into the resident T-DNA of  
4 the host Agrobacterium strain, a procedure well known in the art at  
5 the time. In order to facilitate the regeneration of normal  
6 plants, those sequences in the T-DNA of the resident Ti plasmid  
7 responsible for tumorigenicity were removed via substitution  
8 mutagenesis to produce a "rooty-shooty" mutant of pTi15955 which  
9 was designated RS014. Co-integration of the promoter/toxin gene  
10 cassette resulted in strains which were subsequently used for  
11 tobacco stem inoculations. Calli derived from these transformation  
12 experiments were immunologically screened for the presence of the  
13 toxin peptide. These tissues were also tested for insecticidal  
14 activity. Those tissues that were deemed positive were moved to  
15 regeneration medium eventually resulting in transgenic plants  
16 expressing the toxin gene. In all cases, both non-transformed  
17 tissues and those transformed with only RS014 were used as negative  
18 controls.

19  
20 Subsequent to the use of the co-integrate vectors, an alternative  
21 approach involved the use of binary, mini or micro Ti vectors. A  
22 description of these types of vectors can be found in the September  
23 1983 specification under the heading "Agrobacterium-manipulations  
24 of the TIF plasmids." These vectors, due to their reduced size,  
25 were much easier to handle. In my earlier declaration of April  
26 1992, I provided documentation of tobacco plants transformed with  
27 a plant expressible Bt toxin gene in Exhibits 2 and 3. These

OCT-22-1993 15:37 FROM AGRIGENETICS-MADISON

TO

SALI WANCHIK P.01

1 plants were transformed via Agrobacterium strains carrying a binary  
2 vector instead of the co-integrate vector system described above.  
3 However, an identical mannopine promoter/Bt toxin gene expression  
4 cassette, as described in the specification of the September 1983  
5 application, was used. In both cases, plants were generated  
6 expressing an identical Bt toxin gene.

7

8 Based on the foregoing, it is clear that the teachings of the  
9 September 1983 specification, if followed by the skilled artisan,  
10 enable the production of transgenic insecticidal plants.

The undersigned declares further that all statements made herein of his own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or of any patent issuing therefrom.

Dated:

Oct. 22, 1993

Signed:

Angela Carlini

TOTAL P.01

FROM: SALI WANCHIK & SRI WANCHIK TO : 703 305 3014 1993.10-22 17:19 #014 P.14